



ANSMANN APS 1500

Universal power supply 3 - 12 V DC to power many small electrical devices

Features

- 3 - 12 V DC universal power supply to power many small electrical devices
- Regulated output voltage
- Short circuit proof
- World wide application possible due to wide range input (100-240V AC)
- Selectable output voltages by a rotary switch: 3V / 4,5V / 5V / 6V / 7,5V / 9V / 12V DC;
- Maximum output current: 1500mA at 3-12V;
- Maximum output power: 18 W



Voltage




Charging current



Power



Cable length



Polarity inverter



Adjustable Voltage



Article number: 1201-0024

Product content: APS 1500 with 1.8m cable, 7 changeable adapters



Specifications

Input voltage	100 - 240V AC		
Max. output current	1,5 A		
suitable for	Universal		
Maximum power	18 W		
Charging currents	Voltage	Max. current	Max. power
	3,0 V	1,5 A	4,5 W
	4,5 V	1,5 A	6,8 W
	5,0 V	1,5 A	7,5 W
	6,0 V	1,5 A	9,0 W
	7,5 V	1,5 A	11,3 W
	9,0 V	1,5 A	13,5 W
	12,0 V	1,5 A	18,0 W
Secondary plug set	Yes		
Polarity socket	Yes		
Stabilized	Yes		
Voltage range	3 - 12 V DC		
Average operational efficiency	75,3 %		
Efficiency at low load	73,7 %		
Power consumption at no load	0,070 W		
Cable length	180 cm		
Color	black		
Packaging	cardboard box		
Operating temperature	0 - 25 °C		
Storage temperature	-25 - 70 °C		

Dimensions

54.5 × 70 × 79.5 mm
